



Heriot-Watt University
Research Gateway

Towards a Mixed Reality System for Construction Trade Training

Citation for published version:

Bosché, F, Abdel-Wahab, MS & Carozza, L 2016, 'Towards a Mixed Reality System for Construction Trade Training', *Journal of Computing in Civil Engineering*, vol. 30, no. 2, 04015016.
[https://doi.org/10.1061/\(ASCE\)CP.1943-5487.0000479](https://doi.org/10.1061/(ASCE)CP.1943-5487.0000479)

Digital Object Identifier (DOI):

[10.1061/\(ASCE\)CP.1943-5487.0000479](https://doi.org/10.1061/(ASCE)CP.1943-5487.0000479)

Link:

[Link to publication record in Heriot-Watt Research Portal](#)

Document Version:

Early version, also known as pre-print

Published In:

Journal of Computing in Civil Engineering

General rights

Copyright for the publications made accessible via Heriot-Watt Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

Heriot-Watt University has made every reasonable effort to ensure that the content in Heriot-Watt Research Portal complies with UK legislation. If you believe that the public display of this file breaches copyright please contact open.access@hw.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Mixed Reality and Activity tracking for Construction Manual Training

Dr. Mohamed Abdel-Wahab¹, Dr. Frédéric Bosché^{2,*},

Dr. Ludovico Carozza³, Aparajithan Sivanathan⁴

Abstract

Apprenticeships are at the heart of the UK government skills policy and using cutting edge ICTs for construction training can help in attracting youth to an industry that is traditionally characterised by having a poor image and being slow in up-taking innovation. This paper reports on the application of novel Mixed Reality (MR) and wearable motion tracking technologies in a training system which is called the Immersive Controlled Environment (ICE). ICE attempts to address the shortcomings of existing construction training, in particular: (1) lack of solutions for enabling students to train in realistic and challenging site conditions whilst eliminating H&S risks; (2) difficulty to provide comprehensive, objective and quantitative feedback to trainees' H&S and productivity performance. While the wearable and tracking technologies are initially considered in the context of training, they also have the potential to be deployed on real construction sites for providing continuous performance feedback. To the authors' knowledge this is the first time that a training system like ICE is developed specifically for training of construction 'manual' trade workers. The scope of the paper is focused on a review of the literature to highlight the current application of Mixed Reality (MR) and wearable motion tracking technologies in construction. The concept of ICE for construction manual trade training is then presented, along with early and encouraging results revealing the potential for further work to tailor the technology further to

¹ Lecturer, School of the Built Environment, Heriot-Watt University.

² Lecturer, School of the Built Environment, Heriot-Watt University.

³ Research Associate, School of the Built Environment, Heriot-Watt University.

⁴ Research Associate, School of the Built Environment, Heriot-Watt University.

* Corresponding author: f.n.bosche@hw.ac.uk

23 the context of construction training. The alignment of the technology with the training needs
24 of the construction industry is a challenge. Future work would include the development of the
25 technology around a specific training scenario to ensure that the research is even more
26 applied and relevant to industry stakeholders.

27 **Keywords:** Apprenticeship; training; mixed reality; activity tracking; wearable technology;
28 work at height.

29

1 Introduction

1.1 Background

The construction industry, and particularly SMEs, has historically shown low levels of participation in training when compared to other industries. Nonetheless, a continued investment in training is essential for the industry to further develop and prosper, particularly given the on-going development in new technologies (e.g. BIM, green technologies) and change in work processes (e.g. Lean construction).

Latest figures from the UK Office of National Statistics (ONS) reveal a 2.8% growth in the third quarter (Q3) of 2013 (ONS, 2013). To support the projected growth in the industry's workload, it is therefore imperative to ensure that there are sufficient numbers of new entrants joining the construction industry. A sustained investment in construction apprenticeship¹ training is thus essential, and it could also act as a means of tackling the high levels of youth unemployment. In 2011, the British government has allocated funding to 40,000 extra apprenticeships for young people out of work, in addition to funding for 100,000 new work experience placements (Budget Report 2011). The investment in apprenticeship training is also at the heart of Scotland's Youth employment strategy with £100 million investment aimed at 16-19 year-olds, which includes 25,000 Modern Apprenticeships, in addition to training allowances of £55 per week to young people on Get Ready for Work courses which include work experience (The Scottish Government, 2012). Furthermore, the

¹ Construction apprenticeship training combines college learning with on-site experience to ensure the right balance of technical skills and practical experience (ConstructionSkills 2011). Apprenticeship training has to comply with an apprenticeship framework, which is intended to address the statutory requirements (as per the Apprenticeship, Skills, and Children Learning Act 2009) for an apprenticeship programme, and comprises of: NVQ level 2/3, key skills, and Employment Rights and Responsibilities (ERR) (Apprenticeship Frameworks online 2011).

Construction Industry Training Board (CITB) administers a Levy/Grant scheme (LGS) on behalf of the construction industry – as mandated by the Industrial Training Act 1964. It raises approximately £170m annually from training levies which is re-distributed to the industry in the form of training grants. Approximately 50% of the levy is spent on training grants for apprenticeships in order to attract, retain and support new entrants into the industry. Notwithstanding the on-going efforts for supporting apprenticeship training over the past decade, only 5,500 places were offered by employers in England, despite 30,000 apprenticeship placement applications by young people (ConstructionSkills 2008). The low uptake of apprenticeships is further compounded by the industry's failing to embrace the *ethos and culture of training* as advocated by the Cross-Industry Construction Apprenticeship Task Force (CCATF, 2010).

Arguably, a decline in new employment opportunities for apprentices has led to an increasingly ageing workforce² within the sector. There is now a serious risk that the ageing workforce, coupled with a failure to attract and train sufficient numbers of young people, will result in a skills vacuum and manpower shortage that will hamper the UK Government's projected growth (UK Parliament, 2012a; UK Parliament, 2012b).

Furthermore, a comprehensive review of apprenticeships in construction, conducted by the Union of Construction, Allied Trades and Technicians (UCATT), called for improvements in the standards of vocational education and training (Davies 2008) to address the current concerns of employers regarding the poor quality of apprentices on the job. The UK Government's 'Skills for Growth' white paper similarly called for: 1) Improving the quality

² The number of 16-19 year olds in the industry has fallen by 52% (to 56,781) since 2008, with 16-24 year olds now accounting for just over one in ten (12%) of the construction workforce. In contrast 17% of construction workers are now aged 55 and over (UK Parliament, 2012a).

of provision at FE colleges and other training institutions, and 2) Developing a training system that provides a higher level of vocational experience; one that promotes a greater mix of work and study (Department for Business, Innovation and Regulatory Reform, 2009). And recently, the UK Minister for Universities and Science, David Willetts, announced the introduction of tougher standards to drive up apprenticeship quality (BIS, 2012).

Maintaining both the quantity and quality of apprenticeship training in-line with the industry's needs is essential to support its future development and prosperity. The government monetary incentives to support apprenticeship training, on their own, are insufficient, as the quality and delivery of apprenticeship training is dependent on the provision of adequate work experience by construction employers who even often fail to provide placement opportunities for apprentices. Arguably, if policy makers do not consider exploring alternative ideas for supporting the current provision of apprenticeship training, other than '*pseudo*' employer engagement and PR propaganda, the problem of skills shortages in the construction industry is likely to persist in an industry that historically has a poor training record (Abdel-Wahab, 2011).

1.2 Training and technology

The above discussion highlights the need to consider alternative ideas and innovative approaches for supporting apprenticeship training, by enhancing the learning experience of trainees at FE colleges. However, the construction industry is traditionally slow in the uptake of innovation, particularly in areas such as ICT (Egan Report, 1998). For this reason, innovation in construction continues to be at the top of the UK government agenda – as evidenced by the recent publications of its construction strategies (UK Government, 2011; UK Government, 2013), in addition to the publication of the Scottish construction strategy (Construction Scotland, 2013).

The UK Minister for Universities and Science, David Willetts recently stated that: “*for Britain to get ahead in the global race we have to back emerging technologies ... This will drive growth and support the Government’s industrial strategy*” (Heriot-Watt University, 2013). Moreover, James Wates, Chairman of CITB, stated that: “*we need to show that construction is a high-tech, world class industry with outstanding career prospects*” (CITB, 2013).

Novel technology can enhance trainee experience, improve training standards, eliminate or reduce health and safety risks, and in turn induce performance improvements on construction projects. A well-trained construction workforce is more likely to perform better on-site and maintain the highest level of safety standards thereby reducing accidents. For example, the use of simulators for equipment operator training can allow testing trainees to ensure that they can demonstrate a certain skill level prior to start working on mines. It is reported that, as a result of using simulators in the mining industry, there was a 20% improvement in truck operating efficiency and reduction in metal-to-metal accidents (Immersive Technologies, 2008).

This paper reports on a research project aiming to develop an *Immersive and Controlled Environment (ICE)* for construction ‘manual’ trade training that uses state-of-the-art technologies in Mixed Reality and activity tracking. The ICE is funded by the UK Construction Industry Training Board (CITB). To the knowledge of the authors, this is the first ever attempt to apply the proposed MR and activity tracking technologies for supporting construction ‘manual’ trade training.

The paper commences with a literature review of the current applications of MR and motion tracking in construction training (Sections 2 and 3) and then reports on the on-going development of the ICE, its innovative contributions, and its application in the context of construction trade training (Section 4). It should be noted that this paper is more conceptual in nature, and does not cover technical aspects of ICE in detail. Some early results will be summarized, with details on technical developments already available elsewhere – e.g. see (Carozza et al., 2013).

2 ‘Reality-Virtuality’ continuum of construction training

2.1 Real Environment

Figure 1 depicts a ‘Reality-Virtuality’ continuum in the context of construction training. At one end, there is training within ‘**Real**’ construction project environment. For example, the Construction Industry Training Board (CITB) has set-up the National Skills Academies for Construction (NSAfC) with the aim of providing project-based training that is driven by the client through the procurement process. NSAfC included projects such as the 2012 Olympic which provided 460 apprenticeship opportunities.

However, training on real construction projects is constrained by the type of activity taking place on site, project duration, in addition to health and safety (H&S) risks. Trainees may not be allowed to perform certain tasks on real projects as this can cause delays and errors can be costly, especially when it comes to high profile projects such as the Olympics. To address this issue, attempts have been made in recent years to ‘simulate’ real project environments where trainees can conduct real tasks without compromising project performance and H&S. An example is ‘Constructionarium’ in the UK which is a collaborative framework where university, contractor and consultant work together to enable students to physically construct

scaled-down versions of buildings and bridges (Ahearn, 2005). This enables students to experience the various construction processes and associated challenges that cannot be learned in a traditional classroom setting. Auburn University in the US, and the University of Technology Sydney in Australia have run similar schemes (Burt, 2012; Forsythe, 2009).




Figure 1: Reality-Virtuality Continuum in the context of construction training

2.2 Virtual Reality (VR)

At the other end of the ‘Reality-Virtuality’ continuum (Figure 1), *Virtual Reality* (VR) is increasingly used for construction training. VR development boomed in the 1990’s and is in fact still under intense development, with education and training an important area of application. Mikropoulos and Natsis (2011) define a Virtual Reality Learning Environment (VRLE) as “*a virtual environment that is based on a certain pedagogical model, incorporates or implies one or more didactic objectives, provides users with experiences they would otherwise not be able to experience in the physical environment and can support the attainment of specific learning outcomes.*” VRLEs must demonstrate certain characteristics

that were summarized by Hedberg and Alexander (1994) as: *immersion*, *fidelity* and *active learner participation*. Other terms employed to refer to these characteristics are *sense of presence* (Winn and Windschitl, 2000) and *sense of reality*.

VRLEs can be classified as: *Desktop*, where the user interacts with the computer generated imagery displayed on a typical computer screen; or *Immersive*, where the computer screen is replaced with a head mounted display (HMD) or other technological solutions in an attempt to fully ‘immerse’ the participant in the (3D) virtual world (Bouchlaghem *et al.*, 1996). Most *simulators* are VRLEs that are commonly developed for *plant operation training* (e.g. tower cranes, articulated trucks, dozers and excavators). For example, Volvo Construction Equipment (Volvo CE, 2011) and Caterpillar (2010) have developed simulators for training on some of their heavy equipment range, such as excavators, articulated trucks and wheel loaders.

Simulators enable training in realistic construction project scenarios with high-fidelity, which is made possible by force feedback mechanisms, and without exposing trainees or instructors to H&S risks. They support fast and efficient learning thereby increasing trainees’ motivation (Volvo CE, 2011; TSPIT, 2011). As mentioned previously, the ITAE simulator, employed in mining equipment operation training, is used to ensure that apprentices can demonstrate a certain skill level prior to working in mines. The simulator has proved to be effective in modifying and improving operators’ behaviour as well as enhancing the existing skills levels and performance of employees (Immersive Technologies, 2008).

VRLEs have also been developed for *supervision/management training*. The first UK construction management simulation centre has opened at Coventry University in 2009 and is known as ACT-UK (Advanced Construction Technology Simulation Centre). The centre is aimed at already practicing foremen and construction managers, and potentially students (Austin and Soetanto, 2010; ACT-UK, 2012). Similar centres exist with the Building

182 Management Simulation Center (BMSC) in The Netherlands (De Vries *et al.*, 2004; BMSC,
183 2012) or the OSP VR Training environment collaboratively developed as part of the
184 Manubuild EU project (Goulding *et al.*, 2012). In these VRLEs, trainees can be immersed in
185 simulated construction site environments to safely expose them to situations that they must
186 know how to deal with appropriately. These may include H&S, work planning and
187 coordination, or conflict resolution scenarios (Harpur, 2009; Ku, 2011; Li, 2012). Other
188 VRLEs have also been investigated for other applications for enhancing communication and
189 collaboration during briefing, design, and construction planning (Duston, 2000; Arayici,
190 2004; Bassanino, 2010).

191 VRLEs can generally provide significant benefits over traditional ways of training and
192 learning. The main benefit is to enable trainees to “*cross the boundary between learning*
193 *about a subject and learning by doing it, and integrating these together*” (Stothers, 2007).
194 The controlled environment enables skills to be developed in a wide range of realistic
195 scenarios, but in a safe way (Stothers, 2007; Austin and Soetanto, 2010).

196 Nonetheless, despite the general agreement on the potential of VRLEs to enhance education,
197 Mikropoulos (2011) and Wang and Dunston (2005) noted that there is a general lack of
198 thorough demonstration of the value-for-money achieved by those systems, which may be
199 due to implementation cost, but possibly also to the quantity and quality of training scenarios
200 that could be development and their impact on learning and practice.

201 It is interesting to note that VRLEs and Constructionarium are two learning approaches at the
202 opposite ends of the continuum and may be regarded as complementary. Arguably, a blended
203 learning approach can be employed whereby VRLEs are used for initial learning exercises,
204 and approaches like Constructionarium are used for subsequent more real learning-by-doing
205 activities and thereby supporting the transition before going on-site.

2.3 Mixed Reality (MR)

Within the Reality-Virtuality continuum, *Mixed Reality* (MR), sometimes called Hybrid Reality, refers to the different levels of combinations of virtual and real objects that enable to produce new environments and visualisations where physical and digital objects co-exist and interact in real time (De Souza e Silva and Sutko, 2009). Two main approaches are commonly distinguished within MR. *Augmented Reality* (AR) specifically refers to situations when computer-generated graphics are overlaid on the visual reality, while *Augmented Virtuality* (AV) specifically refers to when real objects are overlaid on computer graphics (Milgram and Colquhoun, 1999).

MR has a distinct advantage over VR for delivering both immersive and interactive training scenarios. The nature and degree of interactivity offered by MR systems can provide a richer and superior user experience than purely VR systems. In particular, in contrast to VR, MR systems can support manual interaction of the user with real and/or virtual objects, which is key to achieve active learner participation and skill acquisition (Wang and Dunston, 2005; Pan *et al.*, 2006). However, developments in MR are more recent and still in their infancy, essentially because of the higher technical challenges surrounding specific display devices, motion tracking, and conformal mapping of the virtual and real worlds (Martin *et al.*, 2011).

With regard to construction training, MR systems reported to date mainly focus on equipment operator training, with human-in-the-loop simulators. According to the definitions above, these simulators can be considered as AV systems. For example, Keskinen *et al.* (2000) developed a training simulator for hydraulic elevating platforms that integrates a real elevator platform mounted on 6-DOF Stewart platform with a background display screen for visualization of the virtual environment. Standing on the platform, the operator moves it

within the virtual environment using its actual command system and receives feedback stimuli through the display and the Stewart platform.

Noticeably, this and other similar AV-type systems are not fully immersive and thus, from a visual perspective, do not provide a full sense of presence. In an attempt to address this limitation, Wang *et al.* (2004) have proposed an AR-based Operator Training System (AR OTS) for heavy construction equipment operator training. In this system, the user operates a real piece of equipment within a large empty space, and feels that he and the piece of equipment are immersed in a virtual world (populated with virtual materials) displayed in AR goggles. However, this system appears to have remained a concept, with no technical progress reported to date.

To the knowledge of the authors, no work has been reported to date on developing MR systems for the training of ‘manual’ construction trades, such as roofing, painting and decorating, bricklaying, scaffolding, etc. The particularity of manual trades is that the trainee must be in direct manual contact with tools and materials. Immersing their work thus requires specific interfaces for tracking the limbs of trainees (particularly the arms and hands), and integrating the manipulations with virtual environments. Research has been widely conducted to develop such interfaces. Haptic gloves or other worn devices are investigated (Tzafestas, 2003; Buchmann *et al.*, 2004), but are invasive. Non-invasive vision-based body tracking solutions have also been considered (Hamer *et al.*, 2010), but are usable only within small spaces. Thus, despite continuous improvements, current solutions for manual interactions with virtual environments do not provide the richness and interactivity required for effective manual trade training. MR should not (yet) be used for virtualizing ‘manual’ activity; traditional training approaches using real manipulation of real materials and tools must remain the standard. Nonetheless, existing student training in college workshops does not

allow for skills development within challenging realistic site conditions, such as working at height. MR could thus still find its place in the training of ‘manual’ construction trades, but with the sole purpose of visually immersing trainees in varying and challenging virtual environments (not virtualizing their activity) and thereby providing exposure to site experience.

As mentioned earlier, construction site experience is a vital and integral part of apprenticeship training and therefore MR technology could help in preparing trainees for actual site conditions. However, it should be viewed as complementary to real site experience and not a replacement. It could be used as a transition to establish the trainees’ readiness before they can actually go on-site.

3 Activity Tracking in Construction

Activity tracking involves monitoring and analysing physical activities of workers in minute details, which can in turn provide objective (and quantitative) performance feedback in relation to occupational safety, ergonomics and physiological aspects, and productivity. Appropriate body poses and systematic methods of carrying out physical activities would not only improve labour efficiency but also address long term health well-being of the worker (Li and Lee, 2011; Peddi *et al.*, 2009; Cheng *et al.*, 2013; Escorcia *et al.*, 2012).

Figure 3 summarizes the process of activity tracking using motion tracking. Previous research on temporal tracking of construction activities has largely focused on the domains of health and safety, progress monitoring and productivity analysis (Figure 4). Various technologies have been trialled for sensing positional information for activity tracking. They include vision, depth sensors, GPS, RFID and Ultra Wide Band (UWB) (see Figure 2) (Teizer and

278 Vela, 2008; Teizer *et al.*, 2009; Cheng *et al.*, 2011; Gong and Caldas, 2009; Yang *et al.*,
279 2011).

280 Vision based techniques are available at low costs. Gong and Caldas (2011) presented a
281 concept and preliminary results on using videotaping to track construction resources, classify
282 work state, and subsequently infer performance. Li and Lee (2011) proposed a video based
283 3D human skeleton reconstruction, using dual network surveillance cameras, specifically for
284 back-bending activities. Revolutionary depth sensing techniques, using laser range finders
285 (Cheok and Stone, 2004) and infrared vision-based solutions, such as Kinect, are
286 complementary to pure vision based techniques. Escorcia *et al.*, (2012) and Ray and Teizer
287 (2012) both proposed using off-the-shelf depth sensors to track construction worker's
288 postures, and particularly body joint angles and spatial location, for the purpose of analysing
289 ergonomics in construction activities. Notwithstanding the potential value of these
290 techniques, they require dedicated physical infrastructure to be installed at the location where
291 the activity is being conducted, only work with line-of-sight, and are affected by the lighting
292 conditions. All this prevents them from being used ubiquitously.

293 Global Navigational Satellites Systems (GNSS), e.g. GPS, are widely used for positional and
294 navigational measurements, (Peyret *et al.*, 1997; Sacks *et al.*, 2005). The main issue is that
295 they require a good line of sight with the satellites, enabling them to be used only in open
296 outdoor environment.

297 RFID and UWB are radio frequency based technologies that can be used for real-time
298 location tracking. While their value to material and tool tracking has widely been
299 demonstrated (Chen *et al.*, 2002; Jaselskis and El-Misalami, 2003), their positioning
300 accuracies are too limited for fine body motion tracking (Teizer *et al.*, 2013).



Figure 2: Examples of existing activity tracking technologies in construction industry



Figure 3: From physical motion tracking to activity tracking



Figure 4: Skeleton tracking based on 3D image sensing (left) and Human motion analysis (right).

All the technologies above are attractive since they are available at declining costs and increased reliability. However, as has been shown, they all present various limitations that prevent them from providing data in sufficient detail for complete body motion analysis, or require specific external infrastructure, which prevents them from covering large areas.

Exoskeleton style devices are investigated for collecting complex kinematic motion data, and are particularly applicable to spinals movements related with back injuries (Marras, 2000). Recently, Alwasel *et al.* (2013) proposed to use magneto-resistive angle sensors for measuring body posture angles (e.g. shoulder joint and knee angles) and characterising injuries. These systems provide detailed and an accurate body motion data, and address the limitations of the previous technologies. Their main limitation is that they can be invasive (which can impact worker mobility and productivity); they are sometimes also expensive, and thus not generalizable.

4 Immersive and Controlled Environment (ICE)

The *Immersive and Controlled Environment (ICE)* aims to develop state-of-the-art MR and Activity Tracking technologies with focus on construction ‘manual’ trade training. The *Immersive Environment* employs MR technology to enable the trainee to experience virtual construction environment while conducting real tasks (with their actual hands and tools). The *Controlled Environment* aims to track the trainee’s motion and activity, and subsequently provide objective feedback on their H&S and productivity performance.

Altogether, ICE will support and enhance the quality of training provided to construction ‘manual’ trade occupations, such as scaffolding, roofing, painting and decorating, bricklaying, etc. To our knowledge, this is the first reported attempt to use such technologies for training of construction manual workers. The next section outlines the concept of ICE which is currently under development with encouraging early results.

4.1 Immersive Environment – MR technologies

It was concluded in Section 2.3 that ‘manual’ trade training can benefit from MR by employing it solely to visually immerse trainees, while they conduct training activities with real tools and materials. Referring to the taxonomy of Milgram *et al.* (1994; 1999), the type of system required appears to correspond to MR systems they classify as *Class 3* or *Class 4* (see Table 1). However, we also observe that, from a visualization viewpoint, this more specifically requires that the trainee be able to see their real body and real work (tools, material), and see these immersed within a virtual world. This means that the system would have to calculate in real-time in which parts of the user’s field of view the virtual world must be overlaid on the real world, and which parts it shouldn’t. This requires that the 3D state of the real world be known accurately and in real-time (the 3D state of the virtual world is naturally already known). Referring again to the taxonomy of Milgram *et al.* (1994; 1999), the type of system required thus needs to have an *Extent of (Real) World Knowledge (EWK)* where the depth map of the real world from the user’s viewpoint is completely modelled (see Figure 5).

Table 1: Some major differences between classes of Mixed Reality (MR) displays (Milgram *et al.*, 1994).

Class of MR System	Real (R) or Computer Generated (CG) world	Direct (D) or Scanned (S) view of substrate	Exocentric (EX) or Egocentric (EG) reference	Conformal mapping (1:1) or not (1:k)
1. Monitor-based video, with CG overlays	R	S	EX	1:k
2. HMD-based video, with CG overlays	R	S	EG	1:k
3. HMD-based optical see-through, with CG overlays	R	D	EG	1:1
4. HMD-based video see-through, with CG overlays	R	S	EG	1:1
5. Monitor/CG-world, with video overlays	CG	S	EX	1:k
6. HMD/CG-world with video overlays	CG	S	EG	1:k
7. CG-based world with real	CG	D, S	EG	1:1

object intervention				
---------------------	--	--	--	--




Figure 5: Extent of World Knowledge (EWK) dimension (Milgram *et al.*, 1994).

From this analysis, we have derived a list of required functionalities and corresponding components that include: HMD (preferably, but not necessarily, see-through); 6 DOF head tracker; Depth sensor; Virtual world simulator; Processing unit for calculating the user's view of the mixed real and virtual worlds. Figure 6 shows a diagram of the system's process, highlighting where these components are required.




Figure 6: Process and associated components for delivering the envisioned immersive environment.

Some of the above components are readily available. However, some still require development, and their overall integration remains a significant challenge – never attempted in the proposed way. We summarize below what solutions can be used:

- 359 • **Simulators / Game engines** are readily available. They can deliver realistic virtual

360 environments with robust and convincing physics. While the first results presented

361 later use a simple static 3D model renderer, we intend to later employ a game engine

362 like Cry Engine.
- 363 • **Depth sensors:** Recent years have seen significant progress in and the

364 commercialisation of range cameras. For example, SoftKinetic commercialises two

365 cameras, *DepthSense 325* (SoftKinetic, 2013a) and *DepthSense 311* (SoftKinetic,

366 2013b), that provide short depth map sensing (<1m and <5m, respectively).
- 367 • **6 DOF Tracker:** Inertial Measurement Units (IMU) can integrate numerous sensors

368 like gyroscopes, accelerometers, compass, gravity sensor, and magnetometer. They

369 are mainly used to track orientation, and are now very robust. Although there are

370 claims that IMUs can track translation, our experience – as well as that of others – is

371 that this is prone to drift that very rapidly leads to unreliable information. Alternative

372 motion tracking technologies were reviewed in Section 3 (in the context of motion

373 tracking for performance assessment), but they either do not work indoor (e.g. GNSS)

374 or do not provide the level of accuracy necessary for MR applications (e.g. UWB,

375 RFID). Vision-based approaches with tracked markers can provide accurate 6DOF

376 data, but require significant infrastructure (cost), line-of-sight, and are somewhat

377 invasive. In an effort to address these limitations, we have been investigating a visual-

378 inertial approach for 6DOF position tracking that integrates an IMU and a markerless

379 vision-based system (see Section 4.1.1).
- 380 • **HMD:** The *Oculus Rift* (Oculus, 2013) is a non-see-through HMD, i.e. VR, device

381 that is now commercialised, mostly for gaming applications. Even more recently,

382 META has announced its *Spaceglasses* (META, 2013) that is a see-through HMD, i.e.

383 AR, device that will be available in 2014. Oculus Rift and Spaceglasses both integrate

IMUs; and the *Spaceglasses* also integrate a *DepthSense 325* camera (supporting hand tracking). The *Spaceglasses* thus seem to already deliver the functionality of three of the five components identified in our envisioned system – although the range of the *DepthSense 325* camera is likely too short.

4.1.1 Preliminary Results

We have developed a VR Immersive Environment (Figure 7) that uses the *Oculus Rift* to display the 3D virtual environment to the trainee and implements a novel visual-inertial 6DOF head tracking system. For the head tracking, we use the IMU integral with the *Oculus Rift*, in combination with a dedicated markerless vision-based system that we have developed. The latter relies on texturing the training room with posters, and then conducts an off-line 3D reconstruction of that room using a digital camera. The same camera is then mounted integral with the HMD and its location is identified and tracked on-line by matching image features to those contained in the 3D reconstruction. The IMU data is combined with the vision-based data in the real-time 6DOF localisation algorithm; it particularly helps maintain reliable tracking when the vision-based system has failed and is reinitialising. More details about our approach and initial results on its performance can be found in (Carozza *et al.*, 2013).




Figure 7: Our proposed approach to 6DOF head tracking and HMD-based immersion.

The main focus of this first work has been on enabling trainees to experience height. Note that for H&S reasons, trainees in colleges cannot be physically put at heights above approx. 5m. Two scenarios have been considered: standing on a scaffold at 10m altitude, and sitting on a structural steel beam at 100m altitude. Early presentation of the system to FE college students and trainers shows that such a system could play an important role in enabling trainees to safely experience different working conditions at height, to develop their readiness to such situations that they may later encounter in the real world.

Our next step is to develop the 3D sensing and world mixing functionalities, so that trainees can see their own body and selected parts of the surrounding real world, which is necessary to enable them to conduct actual construction tasks within varying virtual environments. To achieve this, we intend to integrate a 3D camera, e.g. *DepthSense 311*, on top of the HMD, and use the depth information to create consistent views of the mixed real and virtual worlds. Figure 8 illustrates the resulting system.




Figure 8: Illustration of the use of the proposed immersive environment to immerse trainees and their work (e.g. bricklaying) within a “work at height” situation.

4.2 Controlled Environment – Activity tracking technologies

The *Controlled Environment* of the ICE will employ a state-of-the-art wearable system for motion tracking integrating IMUs judiciously located on the trainees’ bodies and wirelessly transmitting the data to a recorder. The IMUs will record the movements of the limbs and the processing of this data will enable the inference of valuable information with regard to health, safety and productivity. The advantage of using such a system over existing ones is that its level of invasiveness would be minimal, and would enable tracking activities in any environment – not just in FE college labs but also in actual jobsites – with minimal costs.

While we are currently developing the IMU sensor system, we have also already conducted experiments employing a proxy system with the aim of proving the concept. As illustrated in Figure 1, the proxy system employs a series of infrared cameras installed on a frame and that can track small markers balls in the 3D volume defined by the frame. Our proof-of-concept experiment consisted of tracking four markers on the hands and ankles of a trainee climbing a ladder (see Figure 9). An algorithm has then been developed that is able to identify from the

markers' acceleration data whether the trainee manages to constantly maintain 3-points of contacts when going up and down the ladder – which is considered best practice in terms of safety standards. Figure 10 shows the performance chart outputted by the system that highlights when the trainee failed to maintain 3-points of contact (which is indicated in red), and also gives an overall score (25%) on the performance of the trainee in that regard over the duration of the ladder climbing exercise. These results are very encouraging as to the potential of our proposed IMU-based system. It is interesting to note that these experiments also highlighted the difficulty for humans to identify the issues spotted by our system. This is mainly explained by the fact the motion studied involves several limbs.



Figure 9: Ladder climbing analysis using the proxy vision-based system. The red circles highlight the infrared cameras on their frame. The red arrows depict the location of vision trackers (i.e. the location of IMU sensors in the future system).




Figure 10: Ladder climbing data and performance chart obtained using the system depicted in Figure 9. The four graphs refer to the left/right legs/hands. The bottom diagram highlight when the system detected multiple limb movements. An overall percentage score is calculated and presented (on the left) as to the performance for the activity (here 25%).

4.3 Scope of application of ICE

Initially, the application of the ICE is piloted with focus on ‘work at height’ situations. With the Immersive Environment, trainees can experience height; with the Controlled Environment, their performance can be objectively tracked and assessed when carrying-out an activity such as ladder climbing. The reason for selecting working at heights is that it is common across many construction trades – such as scaffolders, roofers, steeple-jacking,

painting and decorating – and also because falling from heights is the most common cause of construction fatalities.

Whilst the number of fatalities in construction has considerably decreased from approximately 150 in 1990 to 50 in 2009, there is still a need to do more to realise the vision of Sir John Egan (1998) for having zero accidents on construction sites. In 2009, it was found that falling from height still accounted for nearly 50% of the fatalities. Falls from edges and opening account for 28% of falls, followed by falling from ladders (26%), and finally scaffolding and platforms (24%) (HSE, 2010).

Similarly, in the US the most common risk factors for falls from heights in the construction industry are falling from a scaffold and ladder (Rivara and Thompson, 2000). As such, fall prevention and safety training is an essential part of the scaffolding training in the UK, with the provision of a half-day fall prevention workshop. However, there is a need to assess the impact of training on the reduction of falls from height. Quantifying the effectiveness of craft training using surveys and other subjective techniques (such as site observations) cannot provide objective and quantitative feedback on trainees' performance (Teizer *et al.*, 2013). Therefore, the application of technology in a training environment for automated detection, recording, and replaying of feedback information can become a powerful tool to engage workers and emphasise safer work practices (Teizer *et al.*, 2013).

It would be interesting to conduct a comparative study between traditional forms of construction training delivery and assessment (in a conventional workshop or classroom setting) as opposed to when using MR and activity tracking technologies (ICE) in order to demonstrate the impact of employing such technologies on trainees performance. Furthermore, the use of objective and quantitative feedback for trainees, e.g. using ICE, can provide the basis of comparison and benchmarking of inexperienced trainees against

experienced ones, reward systems for safe performance during training sessions (Teizer *et al.*, 2013).

5 Conclusion

The construction industry has traditionally shown poor levels of investment in R&D and innovation and as such is slow in the uptake of new technologies, in particular when it comes to the application of new technologies for education and training (CIOB, 2007). It is claimed that “*courses do not prepare students for the realities of construction sites or even the basics of health and safety and there is a bias towards the traditional trades and sketchy provision for new technologies*” (Knutt, 2012). This underlines the need for investment in new technologies to support construction training. If colleges want to become part of future education they should create change rather than waiting for it to happen to them (Hilpern, 2007).

The ICE presented in this paper is a novel approach that has the potential to transform construction manual training. The VR Immersive Environment enables trainees to experience height, without involving any actual work. This simple exposure already enables trainees to experience such heights and assess their comfort in standing and eventually working in such conditions. Ultimately, it could even enable them to start accustom themselves to such conditions. The next phase of work will aim to develop a mixed reality (MR) environment where the trainee can both experience site conditions whilst performing real tasks. The concept of the Controlled Environment has been presented with early results demonstrating its feasibility. Our next phase of work in this area consists in developing the actual wearable IMU-based system and assessing its performance in capturing motion data that supports the extraction of valuable performance metrics.

The accrued benefits of the application of MR and motion tracking technologies in the ICE can include: enhancing the experience of apprenticeship training, complementing industrial placement and establishing site readiness, skills transfer and enhancement, performance measurement, benchmarking and recording, low operational cost and transferability across the industry. However, all these claims will require further research for validation using actual data.

Acknowledgements

The authors are grateful to the Construction Industry Training Board (CITB) for funding the development of ICE and for our stakeholders, Edinburgh College and the National Construction College (NCC), for supporting our project.

References

- Abdel-Wahab, MS (2011). Rethinking apprenticeship training in the British construction industry. *Journal of Vocational Education and Training*, 64(2), 145-154.
- Ahearn, A., Wise, C., McCann, E., & Goring P. (2005). Constructionarium: Building to Learn. *CEBE Transactions*, 2(1), 6-16.
- Alwasel, A., Elrayes, K., Abdel-Rahman, E., & Haas, C. (2013). A Human Body Posture Sensor for Monitoring and Diagnosing MSD Risk Factors. In *Proceedings of the 30th International Symposium on Automation and Robotics in Construction (ISARC)*, Montreal, Canada.
- Apprenticeship Frameworks Online (2011). *Apprenticeship frameworks online*, <http://www.apprenticeshipframeworksonline.semta.org.uk>

525 ACT-UK, (2012). *ACT-UK Simulation Centre*. <http://www.act-uk.co.uk>, last accessed on 20
526 December 2013.

527 Arayici, Y., & Aouad, G. (2004). DIVERCITY: Distributed virtual workspace for enhancing
528 communication and collaboration within the construction industry. *Proceedings of the*
529 *European Conference on Product and Process Modelling in the Building and*
530 *Construction Industry (ECPPM)*, Istanbul, Turkey. 695-706.

531 Austin, S., & Soetanto, R. (2010). The use of ACT-UK Virtual Reality Simulation Centre to
532 enhance the learning experience of undergraduate building students. *Engineering*
533 *Education*, 5(1), pp. 2-10.

534 Bassanino, M., Wu, K.-C., Yao, J., Khosrwoshahi, F., Fernando, T., & Skjaerbaek, J. (2010).
535 The impact of immersive virtual reality on visualization for a design review in
536 construction. *IEEE 14th International Conference on Information Visualization (IV)*,
537 London, UK, 585-589.

538 BIS (Department of Business, Innovation and Skills) (2012) *Better standards for*
539 *Apprenticeships*. available at [https://www.gov.uk/government/news/better-standards-](https://www.gov.uk/government/news/better-standards-for-apprenticeships)
540 [for-apprenticeships](https://www.gov.uk/government/news/better-standards-for-apprenticeships), last accessed on 20 December, 2013.

541 BMSC (2012). *Building Management Simulation Centre (BMSC)*. <http://www.bmsc.nl/>, last
542 accessed on 30 December 2013.

543 Bouchlaghem, N., Thorpe, A., & Liyange, I.G. (1996) Virtual Reality Applications in the
544 UK's Construction industry. *CIB W78 Construction on the Information Highway*, Bled,
545 Slovenia.

546 Buchmann, V., Violich, S., Billingham, M., & Cockburn, A. (2004). FingARtips: gesture
547 based direct manipulation in augmented reality. In *GRAPHITE'04: Proceedings of the*

548 *2nd international conference on Computer graphics and interactive techniques in*
549 *Australasia and South East Asia*, 212–221.

550 Burt, R. (2012). Delivering Construction Education for the Net Generation. *COBRA*
551 *Conference*, Las Vegas, US.

552 Carozza, L., Bosch , F., Abdel-Wahab, M. (2013). Image-based Localization for an Indoor
553 VR/AR construction training system. *13th International Conference on Construction*
554 *Applications of Virtual Reality (CONVR 2013)*, London, UK.

555 CCATF (2010). *Annual Report - Helping construction industry employers meet the*
556 *apprenticeship challenge*. Cross-Industry Construction Apprenticeship Task Force
557 (CCATF).

558 Cheok, G. S., & Stone, W. C. (2004). Performance evaluation facility for LADARs. in
559 *Proceedings of SPIE, Laser Radar Technology and Applications IX*, 5412, 54–65.

560 Chen, Z., Li, H., & Wong, C.T. (2002). An application of bar-code system for reducing
561 construction wastes. *Automation in Construction*, 11(5), 521–533.

562 Cheng, T., Venugopal, M., Teizer, J., & Vela, P.A. (2011). Performance evaluation of ultra
563 wideband technology for construction resource location tracking in harsh environments.
564 *Automation in Construction*, 20(8), 1173–1184.

565 Cheng, T., Migliaccio, G., Teizer, T., & Gatti, U. (2013). Data Fusion of Real-Time Location
566 Sensing and Physiological Status Monitoring for Ergonomics Analysis of Construction
567 Workers. *ASCE Journal of Computing in Civil Engineering*, 27(3), 320–335.

568 CIOB (2007). *Innovation in Construction: Ideas are the currency of the future*. Chartered
569 Institute of Building (CIOB), available at
570 <http://www.ciob.org/sites/default/files/Innovation%20in%20Construction.pdf>, last
571 accessed on 14 October, 2013.

572 CITB (2013). Construction skills shortfall puts 62,000 jobs on the line. *CITB news*, available
 573 at: <http://www.citb.co.uk/news-events/news-story/construction-skills-shortfall-jobs/>,
 574 last accessed on 17 December 2013.

575 ConstructionSkills (2008). *The quest begins: Task forth set forth to double apprenticeship*
 576 *places by 2011*. Bircham Newton: ConstructionSkills.

577 Construction Scotland (2013). *Building for The Future - The Scottish Construction Industry's*
 578 *Strategy 2013-2016*. Construction Scotland.

579 Davies S. (2008). *Apprenticeships: A firm foundation*. Report for UCATT. London: UCATT.

580 De Souza e Silva, A., & Sutko, D.M. (2009). *Digital Cityscapes: merging digital and urban*
 581 *playspaces*. New York: Peter Lang Publishing, Inc.

582 De Vries, B., Verhagen, S., & Jessurun, A.J. (2004). Building management simulation centre.
 583 *Automation in Construction*, 13 (5), 679-687.

584 Escorcia, V, Dávila, M., Golparvar-Fard, M., & Niebles, J. (2012). Automated Vision-Based
 585 Recognition of Construction Worker Actions for Building Interior Construction
 586 Operations Using RGBD Cameras, in *Proceedings of the ASCE Construction Research*
 587 *Congress*, 879-888.

588 Forsythe P. (2009). The Construction Game – Using Physical Model Making to Simulate
 589 Realism in Construction Education. *Journal for Education in the Built Environment*,
 590 4(1), 57-74.

591 Gong, J., & Caldas, C. (2011). Learning and Classifying Motions of Construction Workers
 592 and Equipment Using Bag of Video Feature Words and Bayesian Learning Methods.
 593 *ASCE Computing in Civil Engineering*, 274-281.

594 Goulding, J., Nadim, W., Petridis, P., & Alshaw, M. (2012). Construction industry offsite
595 production: a virtual reality interactive training environment prototype. *Advanced*
596 *Engineering Informatics*, 26, 103-116.

597 Hamer, H., Gall, J., Weise, T., & van Gool, L. (2010). An object-dependent hand pose prior
598 from sparse training data. *IEEE Conference on Computer Vision and Pattern*
599 *Recognition (CVPR)*, San Francisco, CA, USA.

600 Hedberg J., and Alexander S. (1994). Virtual reality in education: defining researchable
601 issues. *Educational Media International*, 31(4), pp. 214-220.

602 Heriot-Watt University, (2013) *Partnerships secures 6-million funding robotics research*,
603 Heriot-Watt News and events, available at: [http://www.hw.ac.uk/news-](http://www.hw.ac.uk/news-events/news/partnership-secures-6-million-funding-robotics-research-12903.htm)
604 [events/news/partnership-secures-6-million-funding-robotics-research-12903.htm](http://www.hw.ac.uk/news-events/news/partnership-secures-6-million-funding-robotics-research-12903.htm), last
605 accessed on 20 December 2013.

606 HSE (2010) *Construction Intelligence Report: Analysis of Construction Injury and ill health*
607 *intelligence*, Health and Safety Executive (HSE), available at:
608 <http://www.hse.gov.uk/construction/pdf/conintreport.pdf>, last accessed on 23 October,
609 2013.

610 Hilpern, K. (2007) *What will colleges of the future look like?* The Independent, Available at:
611 [http://www.independent.co.uk/news/education/further/what-will-colleges-of-the-future-](http://www.independent.co.uk/news/education/further/what-will-colleges-of-the-future-look-like-400366.html)
612 [look-like-400366.html](http://www.independent.co.uk/news/education/further/what-will-colleges-of-the-future-look-like-400366.html), last accessed on 11 November 2013.

613 Hogarth, T., & Hasluck, C. (2003). *Net costs of modern apprenticeship training to employers*.
614 UK Department for Education and Skills (DfES), Research Report RR418.

615 Immersive Technologies (2008). PT Freeport Indonesia Incorporates Locals to the Work
616 Force. *Mining Magazine*. Available at:

617 <http://magazine.mining.com/issues/0810/PTFreeportIndonesia.pdf>, last accessed on 20
618 December 2013.

619 Jaselskis, E., & El-Misalami, T. (2003). Implementing Radio Frequency Identification in the
620 Construction Process. *ASCE Journal of Construction Engineering and Management*,
621 129(6), 680–688.

622 Keep, E., & Mayhew, K. (2010). Some comments on Skills for Growth. *SKOPE Issues*, Paper
623 No. 21, Cardiff: Cardiff University, SKOPE.

624 Keskinen, E., Iltanen, M., Salonen, T., Launis, S., Cotsaftis, M., & Pispala, J. (2000). Main-
625 in-loop Training Simulator for Hydraulic Elevating Platforms, *Proceedings of the 17th*
626 *International Symposium on Automation and Robotics in Construction (ISARC)*,
627 Taiwan, 993-999.

628 Knutt, E. (2012). Generation Lost, *Construction Manager*, available at:
629 <http://www.construction-manager.co.uk/agenda/generation-lost/>, last accessed on 11
630 November 2013.

631 Ku, K., & Mahabaleshwarkar, P. (2011). Building Interactive Modeling for Construction
632 Education in Virtual Worlds. *Journal of Information Technology in Construction*, 16,
633 189-208.

634 Li, H., Chan, G., & Skitmore, M. (2012). Visualizing safety assessment by integrating the use
635 of game technology. *Automation in Construction*, 22, 498-505.

636 Li, C., & Lee, S. (2011). Computer Vision Techniques for Worker Motion Analysis to
637 Reduce Musculoskeletal Disorders in Construction, in *Proceedings of the ASCE*
638 *International Workshop on Computing in Civil Engineering*, 380–387.

639 Marras, W.S. (2000). *Occupational low back disorder causation and control*, *Ergonomics*,
640 43(7), 880-902.

641 Martin, S., Diaz, G., Sancristobal, E., Gil, R., Castro, M., & Peire, J. (2011). New technology
642 trends in education: Seven years of forecasts and convergence. *Computers &*
643 *Education*, 57, 1893-1906.

644 META (2013) *Spaceglasses*, <https://www.spaceglasses.com/> , last accessed 23rd November
645 2013.

646 Mikropoulous, T., & Natsis, A. (2011). Educational Virtual Environments: A ten-year review
647 of empirical research (1999-2009). *Computers & Education*, 56, 769-780.

648 Milgram, P., Takemura, H., Utsumi, A., & Kishino, F. (1994). Augmented Reality: A class of
649 displays on the reality-virtuality continuum. *Proceedings of Telemanipulator and*
650 *Telepresence Technologies*. 2351–34.

651 Milgram, P., & Colquhoun, H. (1999). A Taxonomy of Real and Virtual World Display
652 Integration, *IEICE Transactions on Information and Systems*, 77(12), 1321-1329.

653 Oculus (2013), *Oculus Rift*, <http://www.oculusvr.com/>, last visited: 10th December 2013.

654 ONS (2013). *Output in the Construction Industry*. Office for National Statistics (ONS),
655 Available at: [http://www.ons.gov.uk/ons/rel/construction/output-in-the-construction-](http://www.ons.gov.uk/ons/rel/construction/output-in-the-construction-industry/august-2013/index.html)
656 [industry/august-2013/index.html](http://www.ons.gov.uk/ons/rel/construction/output-in-the-construction-industry/august-2013/index.html), last accessed on 29th October, 2013.

657 Pan, Z., Cheok, A. D., Yang, H., Zhu, J., & Shi, J. (2006). Virtual reality and mixed reality
658 for virtual learning environments. *Computer & Graphics*, 30, 20-28.

659 Peyret, F., Betaille, D., & Hintzy, G. (1997). High-precision application of GPS in the field of
660 real- time equipment positioning. In *Proceedings of the International Symposium on*
661 *Automation and Robotics in Construction (ISARC)*, Pittsburgh, USA.

662 Peddi, A., Huan, L., Bai, Y., & Kim, S. (2009). Development of Human Pose Analyzing
663 Algorithms for the Determination of Construction Productivity in Real-Time. In
664 *Proceedings of the ASCE Construction Research Congress*, 11–20.

665 Ray, S.J., & Teizer, J. (2012). Real-time construction worker posture analysis for ergonomics
666 training. *Advanced Engineering Informatics*, 26(2), 439-455.

667 Rivara, P.F., & Thompson, D.C. (2000) Prevention of falls in the construction industry:
668 evidence for program effectiveness. *American Journal of Preventive Medicine*, 18(48),
669 23-26.

670 Sacks, R., Navon, R., Brodetskaia, I., & Shapira, A. (2005). Feasibility of Automated
671 Monitoring of Lifting Equipment in Support of Project Control. *ASCE Journal of*
672 *Construction Engineering and Management*, 131(5), 604–614.

673 SBF (2009). *Over 900 trainees lose jobs in year*, Scottish Building Federation (SBF),
674 available at: <http://scottish-building.com>.

675 Scottish Government (2012) *Action for Jobs – Supporting Young Scots into Work*, Scotland's
676 *Youth Employment Strategy*, Scottish Government, available at:
677 <http://www.scotland.gov.uk/Resource/0039/00396371.pdf>, last accessed on 20
678 December 2013.

679 SoftKinetic (2013a), *DepthSense 325*, information available at
680 <http://www.softkinetic.com/Store/tabid/579/ProductID/6>, last visited: 10th December
681 2013.

682 SoftKinetic (2013b), *DepthSense 311*, information available at
683 <http://www.softkinetic.com/Store/tabid/579/ProductID/2>, last visited: 10th December
684 2013.

685 Stothers, N. (2007). The use of Virtual Reality Simulation in the Education and Training of
686 Construction Managers – Are the British ‘going Dutch’? *2nd International Conference*
687 *World of Construction Project Management*, TU Delft, Netherlands.

688 Teizer, J., Mantripragada, U., Venugopal, M., & Walia, A. (2008). Analyzing the travel
689 patterns of construction workers. In *Proceedings of the 25th International Symposium*
690 *on Automation and Robotics in Construction (ISARC)*, Vilnius, Lithuania, 26–29.

691 Teizer, J., & Vela, P.A. (2009). Personnel tracking on construction sites using video cameras.
692 *Advanced Engineering Informatics*, 23, 452-462.

693 Teizer, J., Cheng, T., & Fang, Y. (2013). Location tracking and data visualization technology
694 to advance construction ironworkers’ education and training in safety and productivity.
695 *Automation in Construction*, 35, pp. 53-68.

696 TSPI (2011). *Construction equipment operator training simulators*. Training, Simulation,
697 Performance and Improvement Technologies (TSPI). Available at:
698 <http://www.swri.org/4org/d07/tspi/construction.htm>.

699 Tzafestas C.S. (2003). Whole-hand kinesthetic feedback and haptic perception in dextrous
700 virtual manipulation. In *IEEE Transactions on Systems, Man and Cybernetics, Part A*,
701 100–113.

702 UK Government (2011). *Government Construction Strategy*, Cabinet Office, available at:
703 <https://www.gov.uk/government/publications/government-construction-strategy>, last
704 accessed on 20 December 2013.

705 UK Government (2013). *Construction 2025*, UK HM Government, available at
706 <https://www.gov.uk/government/publications/construction-2025-strategy>, last accessed
707 on 20 December 2013.

708 UK Parliament (2012a). *Business, Innovation and Skills Committee, Apprenticeships, Written*
709 *evidence submitted by UK Contractors Group (UKCG)*. Available at:
710 <http://www.publications.parliament.uk/pa/cm201012/cmselect/cmbis/writev/1843/app0>
711 [78.htm](http://www.publications.parliament.uk/pa/cm201012/cmselect/cmbis/writev/1843/app078.htm), last accessed on 19 April 2012.

712 UK Parliament (2012b). *Business, Innovation and Skills Committee, Apprenticeships, Written*
713 *evidence submitted by the Edge Foundation*. Available at:
714 <http://www.publications.parliament.uk/pa/cm201012/cmselect/cmbis/writev/1843/app3>
715 [7.htm](http://www.publications.parliament.uk/pa/cm201012/cmselect/cmbis/writev/1843/app37.htm), last accessed on 19 April 2012.

716 Volvo CE (Volvo Construction Equipment) (2011). *Real life comes to the classroom with*
717 *Volvo's latest excavator training simulators*, press release, June 6.

718 Wang, X., Dunston, P.S., & Skibniewski, M., (2004). Mixed Reality Technology
719 Applications in Construction Equipment Operator Training, *Proceedings of the 21st*
720 *International Symposium on Automation and Robotics in Construction (ISARC)*, Jeju,
721 Korea, Sep 23rd.

722 Wang, X., & Dunston, P.S., (2005) Heavy Equipment Operator Training via Virtual
723 Modeling Technologies. *Proceedings of the ASCE Construction Research Congress*
724 *(CRC)*, 1-10, San Diego, USA.

725 Winn, W., & Windschitl, M. (2000). Learning science in virtual environments: the interplay
726 of theory and experience. *Themes in Education*, 1(4), pp. 373-389.

727 Yang, J., Cheng, T., Teizer, J., Vela, P.A., & Shi, Z.K. (2011). A performance evaluation of
728 vision and radio frequency tracking methods for interacting workforce, *Advanced*
729 *Engineering Informatics*, 25(4), 736–747.